







MODULE NO.: MI25664BO

Ver A

Item	Date	Remark
A	20080401	Original Drawing



Pin	Symbol
1	N.C. (GND)
2	VSS
3	VCC
4	VCOMH
5	VLSS
6	D7
7	D6
8	D5
9	D4
10	D3
11	D2
12	D1
13	D0
14	E/RD#
15	R/W#
16	BS0
17	BS1
18	DC#
19	CS#
20	RES#
21	FR
22	IREF
23	N.C.
24	VDDIO
25	VDD
26	VCI
27	VSL
28	VLSS
29	VCC
30	N.C. (GND)

- Notes:
- Color: Light Blue
 - Driver IC: SSD1322
 - Die Size: 12374um x 1526um
 - TCP Number: SSD1322U
 - Interface: 8-bit 68XX/80XX Parallel, 4-wire SPI
 - General Tolerance: ±0.30
 - The total thickness (2.10 Max) is without polarizer protective film & remove tape. The actual assembled total thickness with above materials should be 2.35 Max.

Customer Approval Signature	MULTI-INNO TECHNOLOGY CO.,LTD.						Drawing Number	Rev.	
	MI25664BO Folding Type OEL Display Module Pixel Number: 256 x 64, Monochrome, COF Package						MI25664CNC19	A	
Material						Soda Lime / Polyimide			
Unless Otherwise Specified		Title		Drawn	E.E.	Panel / E.	P.M.		
Unit	mm								
General Roughness									
Tolerance									
Dimension	±0.30	By	Humphrey Lin	Ting-Kuo Hu	Ivy Lo	Cherry Lin	Scale	Sheet	Size
Angle	±1	Date	20080401	20080401	20080401	20080401	1:1	1 of 1	A3