







Item	Date	Remark
A	20050909	Original drawing
B	20051128	Modify Panel Protective Film Size



Pin	Symbol
1	N.C.
2	VCC
3	VCOMH
4	N.C.
5	D7
6	D6
7	D5
8	D4
9	D3
10	D2
11	D1
12	D0
13	E/RD#
14	R/W#
15	D/C#
16	RES#
17	CS#
18	IREF
19	BS2
20	BS1
21	VDD
22	VP_C
23	VP_B
24	VP_A
25	VBREF
26	RESE
27	FB
28	VDDB
29	GDR
30	VSS
31	N.C.

Notes:

1. Driver IC: SSD1332
2. Die Size: 15400um x 1900um
3. COF Number: UT0232F02
4. Interface: 8-bit 68XX/80XX Parallel, 4-wire SPI
5. General Tolerance: ±0.30
6. The total thickness (1.60 Max) is without panel protective film. The actual assembled total thickness with above materials should be 1.70 Max.

Customer Approval Signature	MULTI-INNO TECHNOLOGY CO.,LTD.							Drawing Number	Rev.
								MI9664AO	B
							Material		
							Soda Lime / Polyimide		
Unless Otherwise Specified									
Unit	mm	Title		MI9664AO Folding Type OEL Display Module					
General Roughness	$\sqrt{\text{Ra}}$			Pixel Number: 96(RGB) x 64, 65536 Colors, COF Package					
Tolerance		Drawn	Checked	Reviewed	PM				
Dimension	±0.3	By				Scale	Sheet	Size	
Angle	±1	Date	20051128	20051128	20051128	20051128	1:1	1 of 1	A3