



ISSUE	AMENDMENT	DATE

DISPLAY TYPE	2.0" TFT, TRANSMISSIVE,
DISPLAY RESOLUTION	176 X RGB X 220
VIEWING ANGLE	12 O' CLOCK
MUX RATIO& BIAS	---
LCD CONTROLLER/DRIVER	TBD
LOGIC VOLTAGE	TBD
LCD DRIVING VOLTAGE	TBD
OPERATING TEMPERATURE	-20°C TO +70°C
STORAGE TEMPERATURE	-30°C TO +80°C
BACKLIGHT	LED: 3 CHIPS parallel
REMARK	

AFTER FPC BENDING (FOR CTM REFERENCE)



TITLE: LCM Module Specification

PROJECT NO: MI0200NT

CUSTOMER REF:

TOLERANCE UNLESS OTHERWISE SPECIFIED: X.X ±0.3 X.XX ±0.1

DIMENSIONS IN MM ANGULAR: ±1°

MATERIAL: N/A FINISH: N/A

SCALE: DO NOT ON SCALE OVERALL THK: N/A

THIRD ANGLE PROJECTION

NAME	SIGN	DATE
DRAWN:		07.11.12
CHECKED:		
APPROVED:		

ITEM NO.:

DESCRIPTION:

FILE NO: REV: 0

SHEET 1 OF 1

PINS ASSIGNMENT:

1	2	3	4	5	6	7---22	23	24	25	26	27	28	29	30
NC	NC	NC	NC	GND	RESET	DB15---DB0	RD	WR	RS	CS	VDD	NC	GND	LEDA
31	32	33												
LEDK1	LEDK2	LEDK3												

- NOTES:
- 1 ◇ : SPECIAL CHARACTERISTIC
 - 2 + : SAFETY CHARACTERISTIC
 - 3 ∇ : CRITICAL DIMENSION
 - 4 (..) : REFERENCE DIMENSION

MULTI-INNO TECHNOLOGY CO.,LTD.